



## INTERNATIONAL APPLICATION PUBLISHED UNDER THE PATENT COOPERATION TREATY (PCT)

<b>(51) International Patent Classification <sup>4</sup> :</b> <b>C12Q 1/00, G01N 33/543, 33/531</b> <b>C12N 9/96</b>	<b>A1</b>	<b>(11) International Publication Number:</b> <b>WO 86/ 04095</b> <b>(43) International Publication Date:</b> 17 July 1986 (17.07.86)
<b>(21) International Application Number:</b> PCT/GB86/00022 <b>(22) International Filing Date:</b> 13 January 1986 (13.01.86)  <b>(31) Priority Application Number:</b> 8500698 <b>(32) Priority Date:</b> 11 January 1985 (11.01.85) <b>(33) Priority Country:</b> GB  <b>(71) Applicant (for JP only):</b> UNILEVER NV [NL/NL]; Burgemeester s' Jacobplein 1, P.O. Box 760, NL-3000 DK Rotterdam (NL).  <b>(72) Inventors; and</b> <b>(75) Inventors/Applicants (for US only) :</b> DRAKE, Rosemary, Ann, Lucy [GB/GB]; Pump Cottage, 62 Main Street, Holcot, Northampton NN6 9SP (GB). WHITELEY, Susan , Catherine [GB/GB]; 35 Curlew Crescent, Brickhill, Bedford MK41 7HX (GB).		<b>(74) Agents:</b> STANCLIFFE, Terence, Christopher et al.; Patent Division, Unilever PLC, P.O. Box 68, Blackfriars, London EC4P 4BQ (GB).  <b>(81) Designated States:</b> JP, US.  <b>Published</b> <i>With international search report. Before the expiration of the time limit for amending the claims and to be republished in the event of the receipt of amendments.</i>
<b>(54) Title:</b> PREPARATION OF REAGENTS		
<b>(57) Abstract</b>  Improved dried preparation of enzymatically active reagent material suitable for use as a reagent in a test procedure requiring said enzymatically active material, said preparation comprising a dried layer incorporating said enzymatically active material together with a carrier or binder material suitable to release said enzymatically active material upon contact with an aqueous reaction liquid; wherein said dried layer comprises, together with said enzymatically active material, a stabilising amount of a protein which is inert with respect to the test reaction in which said enzymatically active material is to participate, and optionally a layer-forming quantity of a sugar or sugar derivative. The dried preparations are generally carried on inert solid substrates, e.g. water impermeable and insoluble substrates such as plastics or glass.		

**BEST AVAILABLE COPY**

***FOR THE PURPOSES OF INFORMATION ONLY***

Codes used to identify States party to the PCT on the front pages of pamphlets publishing international applications under the PCT.

AT	Austria	GA	Gabon	MR	Mauritania
AU	Australia	GB	United Kingdom	MW	Malawi
BB	Barbados	HU	Hungary	NL	Netherlands
BE	Belgium	IT	Italy	NO	Norway
BG	Bulgaria	JP	Japan	RO	Romania
BR	Brazil	KP	Democratic People's Republic of Korea	SD	Sudan
CF	Central African Republic	KR	Republic of Korea	SE	Sweden
CG	Congo	LI	Liechtenstein	SN	Senegal
CH	Switzerland	LK	Sri Lanka	SU	Soviet Union
CM	Cameroon	LU	Luxembourg	TD	Chad
DE	Germany, Federal Republic of	MC	Monaco	TG	Togo
DK	Denmark	MG	Madagascar	US	United States of America
FI	Finland	ML	Mali		
FR	France				

- 1 -

PREPARATION OF REAGENTS

This invention relates to the preparation and use of reagents, especially for example the preparation and use  
5 of dried forms of enzymatically active reagents, e.g. reagents suitable for enzyme-linked specific binding assays such as ELISA assays, using enzymes conjugated to antigens, antibodies or other specific binding materials. The invention also relates to reagent kits including such  
10 dried preparations.

The prior art includes many dried forms of biologically active reagents including serological reagents such as antibodies, enzymes and their coupling products. For  
15 example, USP 4 234 316 (Hevey), in describing devices for delivering precise measured quantities of a plurality of water-soluble reagents, carried on impervious supports, mentions in particular devices for carrying out radioimmunoassay for T4 comprising plastic carriers  
20 carrying film dried down from a solution of 20% dextran (70,000 m.w.) containing concentrated antiserum (anti-T4) for use as one of the reagent components of the radioimmunoassay, and other plastic carriers carrying film

- 2 -

containing T4 standards in human serum. Also mentioned in  
USP 4 234 316 are reagents for clinical tests comprising  
carrier-based films containing inter alia enzymes, enzyme  
substrates, antibodies, antigens, haptens, and reagents  
5 carrying radioisotopic, fluorescent, enzyme, or cofactor  
tags. Binders are disclosed for use in such films,  
selected from polymeric materials such as inter alia  
dextran, acrylic gels and various gums, together with  
humectants, surface-active agents and low-m.w. substances  
10 such as sorbitol, tartrate, mannose and sucrose.

It is also known to use sugars in the preparation of dried  
forms of reagent for immunological tests, e.g. in the  
preparation of immunoabsorbents, as in GB 2 016 687  
15 (Abbott).

Our experience in the use of compositions analogous to  
those of the prior art has not been entirely satisfactory:  
thus, although it is clear that they do give dried  
20 reagents with a degree of stability and preserved  
activity, we find that they are often considerably less  
effective in preserving and stabilising enzymatically  
active material, such as enzyme conjugates, than they are  
in preserving the antibody activity of immunoglobulin.

25 For example, in one test, a sugar preparation which  
preserved near 100% of an antibody activity only left 30%  
of an enzymic preparation in an active state. For some  
purposes such a degree of stabilisation may be adequate,  
30 but better preservative techniques are needed for some  
tests in which the quantity of enzyme activity is directly  
related to a quantitative or semiquantitative test result.

It is an aim of this invention to provide dried

- 3 -

preparations of enzymatically active reagent materials which can yield improved preservation and stability.

5 It is another aim of this invention to provide dried preparations of enzymatically active materials which can quickly release their content into solution or dispersion upon contact with aqueous reaction media.

10 It is a further aim of the invention to provide dried preparations of enzymatically active materials which can give satisfactory consistency of preservation of their enzymatic activity on storage, e.g. without refrigeration and even under tropical conditions.

15 According to the invention there is provided, in a dried preparation of enzymatically active reagent material suitable for use as a reagent in a test procedure requiring said enzymatically active material, said preparation comprising a dried layer incorporating said  
20 enzymatically active material together with a carrier or binder material suitable to release said enzymatically active material upon contact with an aqueous reaction liquid, the improvement whereby said dried layer comprises, together with said enzymatically active  
25 material, a stabilising amount of a protein which is inert with respect to the test reaction in which said enzymatically active material is to participate, and optionally a layer-forming quantity of a sugar or sugar derivative.

30

The dried preparations are generally carried on inert solid substrates, e.g. water impermeable and insoluble substrates such as plastics or glass as more particularly described hereinbelow.

- 4 -

According to one form of the invention, we have found it possible to provide a convenient and relatively stable dry preparation of an enzyme which has been covalently coupled to other material, e.g. an antibody, to form a conjugate, comprising a dried amount of the conjugate, together with an inert protein indifferent to the assay reaction(s) in which the conjugate is to take part, and a sugar or sugar derivative, preferably dried from a buffered salt solution. The preparation quickly releases the conjugate upon rehydration.

The invention extends to the corresponding processes of producing such dried preparations, and to the use of such preparations as reagents in test methods such as specific binding assays, e.g. enzyme-linked immunoassays.

The invention also extends to test kits for such assays which comprise such dried preparations, for example a test kit for an immunoassay comprising an enzyme conjugated with a member of a specific binding pair relevant to the assay, in dried form as described herein, together with other reagents including another member of said specific binding pair and a substrate for said enzyme.

Sugars and sugar derivatives useful in connexion with these preparations include saccharides and saccharide alcohols, e.g. lactose, maltodextrin, sucrose or trehalose. These can be used in for example the form of solutions for drying down, suitably at up to about 20% w/v concentration, e.g. within the range of about 5% - 10% w/v. We have found that lactose and trehalose have been associated with best results in certain tests such as those detailed below.

- 5 -

Suitable examples of enzymatically active reagent materials which can be stabilised in dry form according to the present invention include for example a conjugate comprising an immunoglobulin with antibody specificity chemically coupled to an enzyme, such as for example alkaline phosphatase. Such a conjugate can be made by any of a number of well-known methods not constituting the present invention, e.g. by glutaraldehyde coupling technique.

Other examples of enzymes which can form part of conjugates to be stabilised by the means described herein are peroxidase, e.g. horseradish peroxidase, glucose oxidase, and catalase among others.

Suitable examples of inert proteins include albumins, e.g. bovine serum albumin or ovalbumin, and especially reagent grade preparations of such albumins. These can be used preferably for example at a concentration in the liquid which is to be dried down within the range of about 0.5% w/v (conveniently for example about 1% w/v) up to about 6% w/v, e.g. within the range of about 0.5% to 3%, or  $\geq 3\%$  to  $\leq 6\%$ . In certain test examples made with sucrose, major improvement in stabilised enzyme activity was achieved by including 1% w/v reagent grade ovalbumin, with lesser improvement arising with larger amounts of the inert protein up to about 4% w/v.

Higher concentrations of the protein and the sugar or sugar derivative than those quoted are often operable but sometimes give no additional benefit.

It can be very desirable also to include in the dried

- 6 -

preparations a further material such as a salt and/or buffer, especially a further material which contains an ion or cofactor corresponding to the enzyme activity to be preserved, and functioning as an adjuvant of the preservative or otherwise. For example, where a phosphatase is the enzymatic activity of interest, it is desirable to include a magnesium salt in the dried preparation. A useful example of such a material is magnesium chloride-tris HCl, pH 8, especially in the case of alkaline phosphatase as the material to be stabilised. Salt and buffer concentrations can be chosen within a wide range at will.

Optional and desirable further ingredients are viscosity additives such as polyethyleneglycol, e.g. PEG 6000 at about for example 1.5% w/v, and detergents such as Triton, e.g. Triton-QS9 at about 0.01% w/v (Trade Mark). Prior art other additives for dry preparations may also be present.

Up to 30% polyethyleneglycol and 0.2% Triton have been found usable and to lack deleterious effect on the preservation of the enzyme and antibody activity, besides possibly conferring advantage in the subsequent use of the reagent.

The substrate for the drying can be glass (e.g. a borosilicate glass tube), or plastics such as polystyrene (e.g. wells of a microtitre plate) or nylon (such as the surface of a stick, bead, strip or peg). Generally the substrate can have any shape or form that may be desired or convenient for the performance of a test or assay in which the enzymatically active material is to participate.



- 7 -

The thickness of the dried layer can be chosen according to convenience, and is not particularly critical: suitable thicknesses have been found for example in the range up to about 50 microns, and sometimes up to about 0.1 mm. It can be convenient to apply the liquid to be dried to the surface of the solid substrate at a rate of for example within the order of about 0.2 - 2 microliter per square centimeter of surface to carry the active layer. Other rates of application however can well be chosen.

The drying process can be carried out by air-drying, vacuum-drying or lyophilisation, e.g. vacuum-drying after freezing in solid carbon dioxide at -80 deg. C. We find that air-drying in an oven at about for example 37 deg. C is a convenient method of drying and one that can show particularly well the stabilising advantage of the present invention.

Preparations made in this manner from a conjugate of alkaline phosphatase and anti-beta-HCG antibody have been found useful in the immunoassay of HCG based on a sandwich test technique using immunosorbent anti-HCG (well-known per se). The dried preparation releases the conjugate that it contains into an aqueous assay reaction medium rapidly, for example within about a minute, on contact between the preparation and the liquid.

We have found >85% retention of activity in storage trials lasting many weeks at 37 deg. C, in preparations of this kind.

Further details are given in the following illustrative example, without limitation of the invention thereto.

- 8 -

Example

Dried reagent preparations of enzyme-antibody conjugate  
5 such as for example alkaline phosphatase and anti-HCG  
(both obtainable from commercial sources and coupled using  
standard glutaraldehyde technique) can be made with good  
preservation of both enzymatic and antibody activity and  
quick releasability upon exposure to aqueous reaction  
10 liquid for example as follows.

Carrier substrates are chosen for example from  
(chemically clean) borosilicate glass, polycarbonate  
plastics, polystyrene and nylon in the form of slides,  
15 strips, tubes and microtitre wells.

Suitable proportions (w/v) by way of example for  
ingredients in aqueous liquid to be used for drying down to  
produce a dried preparation in accordance with  
20 embodiments of the invention are:

10% sugar (e.g. especially lactose or trehalose),  
6% ovalbumin (commercial reagent grade),  
1 mM (or other convenient concentration) of  
25 magnesium chloride with 50mM tris.HCl pH 8.

(i.e. neutral or slightly alkaline), and any desired  
activity level of the enzyme conjugate such as alkaline-  
phosphatase-anti-HCG to be dried down (e.g. 1 - 100  
30 microgram/ml).

In a preferred variation of these proportions, the quantity  
of ovalbumin is reduced to the range of about 1% to 3%  
w/v, and the liquid composition also contains 1.5% w/v

- 9 -

polyethyleneglycol 6000 and 0.01% w/v Triton QS9 (Trade Mark) detergent.

5 Aliquots of about 10 microlitre, per microtitre well or other carrier, of the above-mentioned liquid composition, are applied to the respective carrier and the result air-dried at 37 deg. C. The dried preparations are preferably maintained thereafter until required for reagent use within dry water-impermeable enclosures, e.g. sealed  
10 plastics or metal foil packs, optionally including desiccant. It has been found after storage trials that such preparations maintain a satisfactory level and consistency of activity after several weeks storage even at temperatures as high as 37 deg. C, when used in  
15 conjunction with a per se known enzyme-immunoassay technique using a nylon immunosorbent sensitised with anti-HCG antibody, and a 'sandwich' test technique resulting in a coloured product from a phosphatase substrate varying directly with the amount of HCG present  
20 in the sample to be assayed.

In a modification of the above-described example, further tests were carried out with dried preparations which were otherwise similar to those described above except that the  
25 conjugate was a conjugate prepared in known manner from alkaline phosphatase enzyme and pregnanediol. At elevated (37 deg. C) storage temperatures, equivalent to tropical distribution and storage of clinical test reagent kits, the quantity of activity found after storage has been less  
30 after a week's storage than in cooler-stored material kept at room temperature in temperate climate, but no further loss was encountered after several more weeks, and satisfactorily little extra variation in activity was found to have arisen after such storage in the

- 10 -

unfavourable conditions.

Many modifications and variations will be apparent to the skilled reader in the light of the foregoing description,  
5 which is intended to extend to all combinations and subcombinations of features mentioned hereinabove and in the appended claims.

10

15

20

25

30

- 11 -

CLAIMS

1. In a dried preparation of enzymatically active reagent material suitable for use as a reagent in a test  
5 procedure requiring said enzymatically active material, said preparation comprising an inert solid substrate carrying a dried layer incorporating said enzymatically active material together with a carrier or binder material suitable to release said enzymatically active material  
10 upon contact with an aqueous reaction liquid, the improvement whereby said dried layer comprises, together with said enzymatically active material, a stabilising amount of a protein which is inert with respect to the test reaction in which said enzymatically active material  
15 is to participate, and optionally a layer-forming quantity of a sugar or sugar derivative.
2. A dried preparation suitable for use as a reagent in a specific binding assay, the preparation comprising a  
20 solid substrate carrying an enzyme covalently conjugated to an antigen, antibody or other specific binding material, an inert protein indifferent to the assay reactions for which the preparation is to be used, and a sugar or sugar derivative, dried in admixture on said  
25 solid substrate, said preparation allowing release of said conjugate upon contact with aqueous liquid.
3. A preparation according to claim 2, in which the sugar or sugar derivative comprises lactose, maltodextrin,  
30 sucrose or trehalose.
4. A preparation according to claim 2 or 3, in which the inert protein comprises ovalbumin or serum albumin.

- 12 -

5. A preparation according to claim 2, 3 or 4, dried from an aqueous liquid with a sugar concentration in the range up to about 20% w/v, e.g. the range of  $\geq 5\%$  to  $\leq 10\%$ .
- 5 6. A preparation according to claim 2, 3, 4 or 5, dried from an aqueous liquid with an inert protein concentration of at least 0.5% w/v, for example up to about 3%.
7. A preparation according to any of claims 1 to 6, based  
10 on a conjugate of alkaline phosphatase, and dried from a solution containing magnesium chloride and buffer at neutral or slightly alkaline pH.
8. A preparation according to any of claims 1 to 7, and  
15 further comprising a viscosity additive, humectant and/or antimicrobial preservative.
9. A preparation according to any of claims 1 to 8, wherein said solid substrate carrying said film is  
20 enclosed within a water-impermeable sealed enclosure.
10. A test kit for an immunoassay comprising an enzyme conjugated with a member of a specific binding pair relevant to the assay, in dried form according to any of  
25 claims 1 to 9, together with other reagents including another member of said specific binding pair and a substrate for said enzyme.
11. A process for producing a dried preparation according  
30 to any of claims 1 to 9, which comprises drying down on an inert solid substrate a liquid mixture containing said enzymatically active material together with a carrier or binder material suitable to release said enzymatically active material upon contact with an aqueous reaction

- 13 -

liquid, said process incorporating the improvement whereby  
said liquid mixture comprises, together with said  
enzymatically active material, a stabilising amount of a  
protein which is inert with respect to the test reaction  
5 in which said enzymatically active material is to  
participate, and optionally a layer-forming quantity of a  
sugar or sugar derivative.

10

15


20

25

30

# INTERNATIONAL SEARCH REPORT

International Application No PCT/GB 86/00022

<b>I. CLASSIFICATION OF SUBJECT MATTER</b> (If several classification symbols apply, indicate all) *		
According to International Patent Classification (IPC) or to both National Classification and IPC		
IPC <sup>4</sup> : C 12 Q 1/00; G 01 N 33/543; G 01 N 33/531; C 12 N 9/96		
<b>II. FIELDS SEARCHED</b>		
Minimum Documentation Searched <sup>7</sup>		
Classification System	Classification Symbols	
IPC <sup>4</sup>	C 12 Q G 01 N C 12 N	
Documentation Searched other than Minimum Documentation to the Extent that such Documents are Included in the Fields Searched *		
<b>III. DOCUMENTS CONSIDERED TO BE RELEVANT</b> *		
Category *	Citation of Document, <sup>11</sup> with indication, where appropriate, of the relevant passages <sup>12</sup>	Relevant to Claim No. <sup>13</sup>
P, X	EP, A, 0140489 (WAKO DURE CHEMICAL INDUSTRIES LTD.) 8th May 1985, see the whole document	1-8, 11
	--	
X	Patents Abstracts of Japan, volume 9, no. 76 (P-346) (1799), 5 April 1985 & JP, A, 59206761 (IGAKU SEIBUTSUGAKU KENKYUSHO K.K.) 22 November 1984, see the whole abstract	1, 2, 4, 11
	--	
X	GB, A, 2049700 (INSTITUT BIOORGANICHESKOI KHIMII IMENI MM) 31 December 1980, see the whole document	1-6
	--	
A	Patents Abstracts of Japan, volume 7, no. 238 (P-231) (1383), 22 October 1983 & JP, A, 58123459 (MITSUI TOATSU KAGAKU K.K.) 22 July 1983, see the whole abstract	2, 4-6, 11
	--	
A	GB, A, 2124231 (CORNING GLASS WORKS) 15 February 1984, see the whole document	2, 4, 6, 11
	--	
A	EP, A, 0042755 (UNILEVER N.V.) 30 December 1981, see abstract; page 10, lines 11-18;	/
<p>* Special categories of cited documents: <sup>10</sup></p> <p>"A" document defining the general state of the art which is not considered to be of particular relevance</p> <p>"E" earlier document but published on or after the international filing date</p> <p>"L" document which may throw doubts on priority claim(s) or which is cited to establish the publication date of another citation or other special reason (as specified)</p> <p>"O" document referring to an oral disclosure, use, exhibition or other means</p> <p>"P" document published prior to the international filing date but later than the priority date claimed</p> <p>"T" later document published after the international filing date or priority date and not in conflict with the application but cited to understand the principle or theory underlying the invention</p> <p>"X" document of particular relevance; the claimed invention cannot be considered novel or cannot be considered to involve an inventive step</p> <p>"Y" document of particular relevance; the claimed invention cannot be considered to involve an inventive step when the document is combined with one or more other such documents, such combination being obvious to a person skilled in the art.</p> <p>"A" document member of the same patent family</p>		
<b>IV. CERTIFICATION</b>		
Date of the Actual Completion of the International Search		Date of Mailing of this International Search Report
25th April 1986		28 MAY 1986
International Searching Authority		Signature of Authorized Officer
EUROPEAN PATENT OFFICE		M. VAN MOL 



III. DOCUMENTS CONSIDERED TO BE RELEVANT (CONTINUED FROM THE SECOND SHEET)		
Category *	Citation of Document, with indication, where appropriate, of the relevant passages	Relevant to Claim No
	page 14, lines 10-22 --	1-3,5,11
A	EP, A, 0037110 (TAKEDA YAKUHI KOGYO KABUSHIKI KAISHA) 7 October 1981, see claims 4,6,10 --	2,10
A	GB, A, 2016687 (ABBOTT LABORATORIES) 26 September 1979, (cited in the application) --	
A	DE, A, 3040005 (EICKEN CHEMICAL CO., LTD.) 8 October 1981 --	
A	Patents Abstracts of Japan, volume 9, no. 79 (P-347)(1802), 9 April 1985 & JP, A, 59210366 (SUMITOMO KAGAKU KOGYO K.K.) 29 November 1984 --	
A	EP, A, 0017414 (FMC CORPORATION) 15 October 1980 & US, A, 4234316 (cited in the application) -----	

# ANNEX TO THE INTERNATIONAL SEARCH REPORT ON

INTERNATIONAL APPLICATION NO. PCT/GB 86/00022 (SA 11845)

This Annex lists the patent family members relating to the patent documents cited in the above-mentioned international search report. The members are as contained in the European Patent Office EDP file on 21/05/86

The European Patent Office is in no way liable for these particulars which are merely given for the purpose of information.

Patent document cited in search report	Publication date	Patent family member(s)	Publication date
EP-A- 0140489	08/05/85	JP-A- 60035263	23/02/85
GB-A- 2049700	31/12/80	WO-A- 7901137	27/12/79
		CH-A- 633560	15/12/82
		SE-A- 8000648	28/01/80
		DE-C- 2952815	30/05/85
GB-A- 2124231	15/02/84	None	
EP-A- 0042755	30/12/81	WO-A- 8200058	07/01/82
		GB-A- 2107053	20/04/83
		EP-A- 0111762	27/06/84
		EP-A- 0146654	03/07/85
		EP-A- 0044219	20/01/82
		WO-A- 8200364	04/02/82
EP-A- 0037110	07/10/81	JP-A- 56138248	28/10/81
		CA-A- 1162848	28/02/84
		EP-A- 0111216	20/06/84
		US-A- 4517290	14/05/85
		JP-A- 57006363	13/01/82
		EP-A, B 0049898	21/04/82
		JP-A- 57118790	23/07/82
		CA-A- 1181342	22/01/85
		US-A- 4496658	29/01/85
GB-A- 2016687	26/09/79	NL-A- 7902152	24/09/79
		BE-A- 874956	19/09/79
		FR-A- 2420762	19/10/79
		DE-A, C 2910707	04/10/79
		JP-A- 54128396	04/10/79
		AU-A- 4419579	27/09/79
		CA-A- 1086647	30/09/80
		AU-B- 527489	10/03/83
		SE-A- 7902389	21/09/79
DE-A- 3040005	08/10/81	None	
EP-A- 0017414	15/10/80	US-A- 4234316	18/11/80
		JP-A- 55134340	20/10/80

For more details about this annex :  
see Official Journal of the European Patent Office, No. 12/82

INTERNATIONAL APPLICATION NO.  
-----

PCT/GB 86/00022 (SA 11845)  
-----

CA-A- 1119926 16/03/82  
-----

---

For more details about this annex :  
see Official Journal of the European Patent Office, No. 12/82

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☐ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☐ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**